

PORCELAIN SILANE

1. Chemical Product and Company Identification

Product Name: Porcelain Silane Single component silane

Manufacturer: **B.J.M. Laboratories Ltd.** Address: 12 Hassadna Street, Industrial Park, Or-Yehuda, 6022011, Israel. Telephone: 972-3-7353000 / Fax: 972-3-7353020.

2. Composition / Information of Hazardous Ingredients

Hazardous Ingredients	CAS#	Hazard Identification & Risk Phrases	Percentage, wt%
Ethyl alcohol	64-17-5	F, R11	96.0
Stabilizer	2530-83-8	Xi, R36-38	4.0

3. Hazards Identification Xi Irritant; Flammable.

<u>Acute Health Hazards:</u> May cause eye, respiratory and skin irritation. <u>Chronic Health Hazards:</u> Material is not known to cause significant health problems.

<u>Signs and Symptoms of Exposure:</u> High concentrations can cause eye and respiratory irritation. Prolonged skin exposure can cause dryness. <u>Primary Routes of Exposure:</u> Inhalation, skin contact, eye contact. <u>Carcinogenicity:</u> NTP – no, OSHA – no, IARC – no.

4. First Aid Measures in Cause of Inhalation

<u>Inhalation</u>: If irritation occurs, take victim to open air. Get medical attention.
 <u>In case of skin contact</u>: wash with soap and water.
 <u>In case of eye contact</u>: Flush with large quantities of water for 15 minutes. Consult a physician.
 <u>In case of ingestion</u>: Drink two glasses of water or milk. Seek medical attention if a substantial amount has been ingested. Do not induce vomiting.

5. Fire-Fighting Measures

<u>Flash Point:</u> 18°C / 64°F (Ethanol) <u>Extinguishing Media:</u> Carbon dioxide, foam or dry chemical. <u>Unusual Fire and Explosion Hazards:</u> Upon combustion, irritating gases may form..

6. Accidental Release Measures

PFX S

Page 1 of 4



<u>Personal Precautions:</u> Prevent skin/ eye contact <u>Environmental Precautions:</u> Avoid ground water contamination.. <u>Clean-Up Procedure:</u> Wipe with damp paper towel. Discard properly.

7. Handling and Storage

<u>Handling</u>: No special measures necessary if handled according to instructions. <u>Storage</u>: Keep container tightly closed when not in use. Keep about 10°C. Keep material in original packaging. Avoid extreme heat and light.

8. Exposure Controls/ Personal Protection

Exposure Controls: Use only in well ventilated areas. Eye Protection: Use protective eyewear. Hand and Skin Protection: Avoid unnecessary skin contact. Wear latex gloves when handling. Hygiene Measures: Remove spilled material from skin and clothing. Do not eat or drink when handling this material.

9. Physical and Chemical Properties

Appearance: Colorless liquid Odor: Odorless. Boling Point/ Range: N/E Evaporation Bate (water = 1): N/A Vapor Density (Air = 1): N/A Solubility in Water: Miscible Solubility in organic solvents: Soluble in alcohols, ketones, etc.

10. Stability and Reactivity

<u>Stability:</u> This material is stable. <u>Hazardous Reactions:</u> None if handled according to directions <u>Conditions to Avoid:</u> Heat. <u>Incompatibility:</u> Strong caustics, metals, sulfides and sulfites..

11. Toxicological Information

<u>Acute oral toxicity:</u> LD50 (rat) > 5000 mg/kg <u>Irritation to Eyes:</u> Irritates the eyes. <u>Irritation of Skin:</u> May irritate the skin. <u>Allergic Effects:</u> May cause allergic reaction on contact with skin. <u>Other:</u> If swallowed, may cause sore throat and burns of the mouth and throat. Prolonged exposure may cause burns to the respiratory tract, contact with soft tissues may cause burns.

12. Ecological Information

PFX S

Page 2 of 4



There is no specific information on the product. Use according to good working practices, avoiding release of the product into environment.

13. Disposal Considerations

May be disposed of in landfill or incinerator In accordance with local, state and federal regulations.

14. Transport Information

14.1 Transport at land	ADR	3	RID	3
	UN Number	1170	Kemler Number	
	Packing Group	III	1 (01110 01	
	Proper shipping name	Ethanol Solution		
14.2 Transport at sea	ADNR	3	IMDG	3
-	UN Number	1170		
	EMS	F-E, S-D	MFAG	
	Packing Group	III		
	Proper shipping name	Ethanol Solution		
14.3 Air transport	ICÃO / IATA-DGR			
	UN Number	1170		
	Proper shipping name	Ethanol Solution		
	Subsidiary Risk			
	Labels	Ethanol Solution		
	Packing Group	III		

<u>U.S. DOT</u> Shipping Name: Ethanol Solution <u>U.S. DOT</u> Hazard Class: 3 <u>Number:</u> UN1170 <u>U.S. Dot Packing Group:</u> III Other: Class 3 Flammable Liquids.

15. Regulatory Information

This product requires classification according to the criteria of EC. The product is a medical device according to the EC-directive 93/42.

15.1 UN Number 1170
15.2 National regulations
15.3 EU number
15.4 Hazard symbols



15.5 Hazard designation 15.6 Risk phrases Xi: Irritant. F: Highly Flammable. Contains Ethyl Alcohol

R: 11, 36, 37/38
11 Highly flammable.
36 Irritating to eyes.
37/38 Irritating to respiratory system and skin.

Page 3 of 4

Revision 3.1 EU acc. To ISO 11014



B.J.M. Laboratories Ltd.

15.7 Safety phrases

S: 2, 9, 16, 23, 26, 28, 24/25, 37/39
2 Keep out of the reach of children.
9 Keep container in a well-ventilated place.
16 Keep away from sources of ignition - No smoking.
23 Do not breathe vapour.
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advise.
28 After contact with skin, wash immediately with plenty of water and soap.
24/25 Avoid contact with skin and eyes.
37/39 Wear suitable gloves and eye/face protection.

<u>U.S. – O.S.H.A. Status:</u> This material is Xi: Irritant. F: Flammable under the criteria the U.S. Federal Hazard Communication Standard.

16. Other Information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall establish a legally valid contractual relationship.

Relevant R-phrases

11 Highly flammable.36 Irritating to eyes.37/38 Irritating to respiratory system and skin.

Xi Irritant.

Material should be maintained in original containers. Empty containers should not be re-used. <u>AN SI / NFPA 704 DATA</u> Fire = 3 Health = 1 Reactivity = 1 Specific

This information is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data, or the results to be obtained from use thereof. In no event will the manufacturer or distributor be responsible for damages of any nature whatsoever resulting from the use of, or reliance upon this information. General properties described herein are to be regarded as guides and are not guaranteed for all samples.

PFX S