

# B.J.M. Laboratories Ltd.® Uni-P-Crown 3D Printing Resin for Crown & Bridge 3DP C&B

## 1. Chemical Product and Company Identification

Product Name: Uni-P-Crown 3D Printing Resin for Crown & Bridge 3DP C&B

<u>Description:</u> UV sensitive light-curing 3D printable resin-based material for the correction or reconstruction of functionally compromised natural dentition (e.g., missing teeth or deficient teeth) by manufacturing of customized 3D-printed dental prostheses.

<u>Restrictions on use:</u> For use only by dental professionals.

### Manufacturer: B.J.M. Laboratories Ltd.

Address: 12 Hassadna St., Industrial Park, Or-Yehuda 6022011, Israel. Telephone: +972-74-7000111 / Fax. +972-3-7353020 Email: <u>info@bjmlabs.com</u> Website: <u>www.bjmlabs.com</u>

European Representative: Obelis S.A. Bd. General Wahis 53, 1030 Brussels, Belgium Telephone: +32 2 732 59 54 Email: *regulatory@obelis.net* 

## 2. Hazards Identification

Acute Health Hazards: May cause eye, respiratory and skin irritation in high concentrations.



Chronic Health Hazards: Material is not known to cause significant health problems.
Signs and Symptoms of Exposure: High concentrations can cause eye and respiratory irritation.
Prolonged skin exposure can cause dryness.
Primary routes of exposure: inhalation, skin contact, eye contact
Carcinogenicity: NTP – no, OSHA – no, IARC – no.

# BJM LAB

B.J.M. Laboratories Ltd.

Hazardous Ingredients	% by Wt	CAS #	Hazard Identification & Risk Phrases	
Aliphatic urethane dimethacrylate	<60%*	72869-86-4	Xi, H317, H411	
Triethyleneglycoldimethacrylate	<30%*	109-16-0	Xi, H319/335/315, H317	
Glycerol	<1%*	52408-84-1	Xn, H317, H319	
Polypropylene glycol	<1%*	25322-69-4	Xn, H302	
Non-Hazardous Ingredients				
Photoinitiators	<2%*	75980-60-8	H316f	
Fumed Silica	<15%*	112945-52-5	N/A	
Glass Filler	<15%*	65997-17-3	N/A	
Pigments White (TiO <sub>2</sub> )	<1%	13463-67-7/ Proprietary	N/A	

# 3. Composition / Information on Ingredients

\* The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

✓ <u>Additional information</u>: For the wording of the listed risk phrases refer to section 16.

# 4. First Aid Measures

**In case of inhalation**: If irritation occurs, take victim to open air. If breathing difficulty persists, consult a physician.

In case of skin contact: Wash with soap and water.

**In case of eye contact**: Flush with large quantities of water for 15 minutes. Consult a physician. **In case of ingestion**: Consult a physician.

# 5. Fire-Fighting Measures

Flash Point: N/E

**Extinguishing Media**: Carbon dioxide, water spray, dry chemical **Special Fire Fighting Procedures**: Avoid a direct jet of water. **Unusual Fire and Explosion Hazards:** None

# 6. Accidental Release Measures

**Environmental Precautions**: Avoid seepage into sewers and water supplies. **Clean-Up Procedure**: Contain spill and pick up material with a suitable absorbent material. Place absorbent into a container for later disposal. Clean spill area with detergent and water.

# 7. Handling and Storage

**Handling**: No special measures necessary if handled according to instructions. **Storage:** Keep container tightly closed when not in use. Store in a cool, dry location. Keep material in original packaging.

# 8. Exposure Controls / Personal Protection

3D Printing Resin for Temporary Crown and Bridge

Page 2 of 5

Revision 0 EU acc. to ISO 11014, REACH Last revised: 16-May-2024 Approved for use: 01-Aug-2024



Exposure Controls: Use only in well-ventilated areas.
Respiratory Protection: Avoid inhalation of vapors. No special protection under normal use.
Hand and Skin Protection: Avoid unnecessary skin contact. Wear latex gloves when handling.
Eye Protection: Wear safety goggles or safety glasses with side shields when handling.
Hygiene Measures: Remove spilled material from skin and clothing. Do not eat or drink when handling this material.

# 9. Physical and Chemical Properties

Appearance: Odor: Specific odor Boiling Point/Range: N/A Flash Point: >100°C Evaporation Rate (Water = 1): N/A Vapor Density (Air = 1): N/A Solubility in Water: Insoluble

# **10. Stability and Reactivity**

Stability: This material is stable.
Hazardous Reactions: None if handled according to directions
Hazardous Polymerization: May occur.
Conditions to Avoid: Heat, UV light and contamination.
Incompatibility: Free radicals, reducing agents, heavy metal ions
Hazardous Decomposition Products: Carbon dioxide, water, carbon monoxide, acrylic decomposition products, depending on conditions of heating and burning.

## **11. Toxicological Information**

Acute oral toxicity : LD<sub>50</sub> (rat) > 5000mg/KG Irritation of Skin: dryness and irritation possible upon prolonged exposure Allergic Effects: Methacrylate sensitive individuals may exhibit an allergic reaction.

# **12. Ecological Information**

Do not discharge into sewers or water supplies. Environmental persistence and degradability: no data available Ecotoxicity: no data available

### **13. Disposal Considerations:**

May be disposed of in landfill or incinerator in accordance with local, state and federal regulations.

### **14. Transport Information:**

14.1 Transport at land	ADR	RID
_	UN Number	Kemler
		Number
	Packing Group	
	Proper shipping name	
14.2 Transport at sea	ADNR	IMDG
	UN Number	
	EMS	MFAG
	Packing Group	-

3D Printing Resin for Temporary Crown and Bridge

Page 3 of 5

Revision 0 EU acc. to ISO 11014, REACH Last revised: 16-May-2024 Approved for use: 01-Aug-2024



14.3 Air transport

Proper shipping name ICAO / IATA-DGR UN Number Proper shipping name Subsidiary Risk Labels Packing Group

U.S. DOT Shipping Name: Not Regulated U.S. DOT Hazard Class: None U.N./N.A. Number: None U.S. DOT Packing Group: None Other: Not considered hazardous cargo

## **15. Regulatory Information:**

This product requires classification according to the criteria of EC. The product is a medical device according to the Council Directive 93/42/EEC and EU Regulation 2017/745 for Medical Devices.

15.1 UN Number

- 15.2 National regulations
- 15.3 EU number

15.4 Hazard symbols



Xi: Irritant.

15.5 Hazard designation

15.6 Risk phrases

H: 302, 317, 319, 319/335/315, 361f, 411 302 Harmful if swallowed. 319/335/315 Irritating to eyes, respiratory system and skin. 317 May cause an allergic skin reaction. 319 Causes serious eye irritation. 361f Suspected of damaging fertility. 411 Toxic to aquatic life with long lasting effects 15.7 Safety phrases P: 102, 403, 210, 260, 305+351+338, 303+361+353, 262, 280 102 Keep out of the reach of children. 403 Keep container in a well-ventilated place. 210 Keep away from sources of ignition - No smoking. 260 Do not breathe vapor. 305+351+338 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. 303+361+353 After contact with skin, wash immediately with plenty of water and soap. 262 Avoid contact with skin and eyes. 280 Wear suitable gloves and eye/face protection.

3D Printing Resin for Temporary Crown and Bridge

Page 4 of 5

Revision 0 EU acc. to ISO 11014, REACH Last revised: 16-May-2024 Approved for use: 01-Aug-2024



**U.S.-O.S.H.A. Status**: This material is not hazardous under the criteria of the U.S. Federal Hazard Communication Standard.

## **16. Other Information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall establish a legally valid contractual relationship.

# **Relevant H-phrases**

302 Harmful if swallowed
319/335/315 Irritating to eyes, respiratory system and skin.
317 May cause an allergic skin reaction.
319 Causes serious eye irritation.
361f Suspected of damaging fertility.
411 Toxic to aquatic life with long lasting effects

Xi Irritant

Material should be maintained in original containers. Empty containers should not be re-used.

ANSI/NFPA 704 Data: Fire = 1 Health = 0 Reactivity = 0 Specific Hazard = None

Revision **0** *EU acc. to ISO 11014, REACH* Last revised: **16-May-2024** 

This information is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data, or the results to be obtained from use thereof. In no event will the manufacturer or distributor be responsible for damages of any nature whatsoever resulting from the use of, or reliance upon this information. General properties described herein are to be regarded as guides and are not guaranteed for all samples.